

## SALON SELECT PRO CONDITIONER w/ MICROSIL<sup>®</sup> FINISH

<b><u>FORMULATION:</u></b>		<b><u>% WT.</u></b>
A1	Dionized Water	Q.S.
A2	Propyl Paraben	0.10
A3	Methyl Paraben	0.20
A4	<b>MICROSIL<sup>®</sup> FINISH</b> <b>CHEMSIL SILICONES, INC.</b>	<b>10.0</b>
	<i>Water (and) Amodimethicone (and) Cetrimonium Bromide (and) Propoxytetramethyl Piperdiny Dimethicone (and) Cetrimonium Chloride (and) Trideceth-12 (and) Trideceth-6 (and) C11-15 Pareth 7</i>	
A5	Propylene Glycol	3.0
B1	Cetyl Alcohol	3.00
B2	Stearyl Alcohol	2.00
B3	Cutina EGDS                      Cognis <i>Glycol Distearate</i>	0.80
C1	Cranberry Fragrance                      Ascent Aromatics	0.30
C2	Hydantol 55                      KCI <i>DMDM Hydantoin</i>	0.40

### **PROCEDURE:**

1. Heat while adding ingredients A1-A5 to 80C under strong agitation.
2. Add B1-B3 while mixing. Mix for 15 minutes or until all solids are melted and system is homogenous. Turn off heat and maintain good agitation as product cools without incorporating air.
3. At 45 C add C1 and C2 to batch and stop mixing at 40C

### **SPECIFICATIONS:**

Appearance – Viscous white emulsion

pH – 6.5

Stability – 40c eight weeks, pass 3 F/T

**Product Code: CRL-10-42B3**

04.2011

STATEMENTS AND METHODS PRESENTED ARE BASED UPON THE BEST AVAILABLE INFORMATION AND PRACTICES KNOWN TO CHEMSIL SILICONES, INC. AT PRESENT, BUT ARE NOT REPRESENTATIONS OR WARRANTIES OF PERFORMANCE, RESULT OR COMPREHENSIVENESS, NOR DO THEY IMPLY ANY RECOMMENDATIONS TO INFRINGE ANY PATENT OR AN OFFER OF LICENSE UNDER ANY PATENT.

We Provide **YOUR** Silicone Solutions <sup>TM</sup>